







Report No. A223036704410100106

Page 1 of 4

Company Name

Shown on Report SHENZHEN JDB TECH. CO. LTD.

ROOM 1105-1108, NO.2 BUILDING, EST MALL BUSINESS CENTER,

Address NO.698 CHANGBANG ROAD, XIACHENG DISTRICT, 310004,

HANGZHOU, CHINA

The following sample (s) and sample information was/were submitted and identified by/on the behalf of the client

Sample Name 2layers PCB

Material pcb

Sample Received Date Jul. 24, 2023

Testing Period Jul. 24, 2023-Aug.2, 2023

Test Requested

No.	Test Item	
1	Glass transition temperature	

Test Result(s): Please see the following pages.

Approved by

Annie Lang

Date

Aug. 18, 2023



No. RDAAD41CF3

Hongwei Industrial Zone, Bao'an 70 District, Shenzhen, Guangdong, China





Report No. A223036704410100106 Page 2 of 4

Tested Sample(s)

Sample No.	Sample Name	Material
A2230367044101001	2layers PCB	pcb

Sample Photo(s)



A2230367044101001





Report No. A223036704410100106

Page 3 of 4

Test Item: Glass transition temperature

1. Test Equipment

Equipment Name	Model
Thermal Mechanical Analysis(TMA)	TMA450

2. Environmental Conditions

Temperature: 23.8°C; Humidity: 48% RH

3. Test Standard: IPC-TM-650 2.4.24C

4. Test Conditions


(1) Preconditioning: Sample is preconditioned by baking for 2h at 105 °C, then cooled to room temperature in a desiccator.

(2) Test condition: Heat from 30 $^{\circ}$ C to 270 $^{\circ}$ C at a rate of 10 $^{\circ}$ C/ min in N₂.

5. Test Result(s)

Test Sample	Glass Transition Temperature (°C)
A2230367044101001	151.58

Test Curve:





Report No. A223036704410100106

Page 4 of 4

Remark: The testing data and result(s) in this report is(are) just for scientific research, education, internal quality control and product development etc.

Statement:

- 1. This report is considered invalid without approved signature, special seal and the seal on the perforation;
- 2.Company Name and Address shown on Report, the sample(s) and sample Information was/were provided by the applicant who should be responsible for the authenticity which CTI hasn't verified;
- 3. The result(s) shown in this report refer(s) only to the sample(s) tested;
- 4. Without written approval of CTI, this report can't be reproduced except in full;
- 5.In case of any discrepancy between the English version and Chinese version of the testing reports(if generated), the Chinese version shall prevail.

*** End of Report ***

